



Electric Storage Water Heaters have long been a staple inclusion in the Australian family home.

Whilst new and alternative technologies are available to reduce energy costs, environmental impacts, and carbon omissions; we understand that in some instances these products may not be suitable.

That's why we've developed the new **Quantum 4Q Premium Series** Electric Storage Water Heater range.

With new features and styling that will outshine your existing Electric Storage Water Heater; our new range is sure to impress....



Stylish German Aluminium Finish

We choose the best finishes for all aspects of our homes; why should our hot water system be any different? Quantum have sourced world class external finishing materials from Germany, with a primary focus on strength, aesthetics and style — to compliment the rest of your homes' appliances.


Incoloy® Heating Element


Incoloy® is a "Superalloy" designed for excellent corrosive resistance, in addition to superior strength at high temperatures. It is a more advanced material than that which is found in other traditional electric water heaters (copper). Our new Incoloy® Element will deliver your hot water, for an extended lifetime, being less susceptible to corrosion.



- · Complete Product Range 25L 400L
- Stylish Brushed Aluminium Finish
- · Durable Incoloy Heating Element
- Dual Handed Across The Range
- 7 Year Cylinder Warranty













DOMESTIC MODEL RANGE

Model		25L	50L	80L	125L	160L	250L	315L	400L
Storage Capacity	Litres	25	50	80	125	160	250	315	400
Warranty*	Years	7	7	7	7	7	7	7	7
Indoor/Outdoor	Install	✓	✓	✓	✓	✓	✓	✓	✓
Dual Handed	Outlets	✓	✓	✓	✓	✓	✓	✓	✓
Single Element	1.9kW	✓	✓	✓	✓	✓	✓	✓	✓
	2.4kW	✓	✓	✓	✓	✓	✓	✓	✓
	3.6kW	-	✓	✓	✓	✓	✓	✓	✓
	4.8kW	-	✓	✓	✓	✓	✓	✓	✓
Twin Elements	7.2kW	-	-	-	-	TBA	TBA	TBA	TBA
	9.6kW	-	-	-	-	TBA	TBA	TBA	TBA
Triple Elements	10.8kW	-	-	-	-	-	TBA	TBA	TBA
	14.4kW	-	-	-	-	-	TBA	TBA	TBA
Net Weight	kg	19	24	36	50	57	77	91	110
Α	Degree	65	59	58	90	90	90	90	90
В	Degree	26	26	23	31.5	23	31.5	31.5	31.5
D	mm	400	450	480	480	480	650	650	700
Н	mm	455	690	955	1340	1615	1425	1735	1680
h	mm	90	90	90	90	90	95	95	95
h1	mm	188	420	686	1078	1338	1106	1406	1281
I1	mm	45	90	128	128	128	130	130	130
12	mm				590	1000	850	1120	1000

^{*7} Year Cylinder Warranty, 1 Year Parts and Labour Warranty. Full terms and conditions can be found in the Owners' Manual

